



ITEM 304100 3 Strand Conduit
Rope, 2430 lb Tensile, 3/8" x 2500'

ITEM 027440 Conduit Pull Line &
Bucket, 500 lb Tensile, 2200'

ITEM 178380 Polypro Strap
PMG 8"x 8" Core, 1/4" x 18000'

ITEM 057099 Industrial Grade
Silver Duct Tape, 2" x 60 yds

Low Prices
Fast Shipping
Huge Inventory

UTILITY & CONSTRUCTION

• Pull Line/Pull Tape	1
• Utility Rope	2
• Polypro & Natural Rope	3-4
• High Strength Rope	5
• Seine Twine	6
• Utility/Safety Tape	7-8
• Steel Strapping & Tools	9-10
• Poly Strapping & Tools	11-14
• Dipped Gloves	15
• Leather & Cotton Gloves	16
• Chem/Cut Resistant Gloves	17
• Un/Supported Gloves	18
• Disposable Gloves	19
• Safety Wear	20
• Tarps & Poly Sheeting	21
• Janitorial Products	22

Three Easy Ways to Order

Call: 1-800-292-7717

Fax: 1-800-292-0494

Web: www.cwcglobal.com

Continental Western Corporation

Conduit Pull Line & Tape



027475



027440

Conduit Pull Line

A strong spiral wrap polypropylene twine, CWC conduit pull line is designed to be pulled or vacuumed through conduits. Use this line to pull light sized cables or to aid in pulling back a larger rope or conduit measure tape. Our lines feature a colored tracer though the entire length of the line for quick identification on the job. Our buckets offer dispensing without tangles, kinks or snags.

- Abrasion and snag resistant
- Good strength with minimal stretch
- Rot and mildew resistant

Item #	Description	Length	Tensile	Weight
027016	Single 10# Tube (White/Blue)	6500'	210 lbs	10 lbs
027430	Single 10# Tube (White/Blue)	2200'	500 lbs	10 lbs
027013	4-Pack of 10# Tubes in a Carton (White/Blue)	6500'	210 lbs	40 lbs
027475	12-Pack of 3# Tubes in a Carton (White/Orange)	6000'	240 lbs	36 lbs
027014	Single 10# Tube in a Dispenser Bucket (White/Blue)	6500'	210 lbs	10 lbs
027440	Single 10# Tube in a Dispenser Bucket (White/Red)	2200'	500 lbs	10 lbs



Adjustable Sling

This red adjustable sling features a permanent eye at one end and an adjustable eye at the other. It accommodates a wide range of lifting requirements. The sling consists of braided, non-torquing polyester rope with Samthane urethane coating, while its coating provides increased durability.

Item #	Description	Weight
059313	3/4 " Red Whoopee Adjustable Sling	6 lbs



Polyester Conduit Pulling Tape

Designed for the telecommunications and power utility industries, this conduit pulling tape is the preferred choice for underground measuring and pulling of lightweight cables. Sequential foot markings allow for accurate measurement while flat construction and specially formulated lubricants work to minimize friction and duct cutting.

Item #	Description	Length	Tensile	Weight
179004*	White - Stranded	3/16" x 3000'	160 lbs	40 lbs
179105	White - Stranded	1/4" x 3000'	400 lbs	12 lbs
179173	White - Stranded	1/2" x 500'	1250 lbs	5 lbs
179118	White - Woven	1/2" x 1500'	1250 lbs	13 lbs
179120	White - Woven	1/2" x 3000'	1250 lbs	23 lbs
179125	White - Woven	1/2" x 5000'	1250 lbs	40 lbs
179135	White - Woven	5/8" x 3000'	1800 lbs	34 lbs
179140	White - Woven	5/8" x 5000'	1800 lbs	55 lbs
179008	White - Woven	3/4" x 1000'	2500 lbs	16 lbs
179174	White - Stranded	3/4" x 1500'	2500 lbs	26 lbs
179010	White - Woven	3/4" x 3000'	2500 lbs	49 lbs
179177	White - Woven	3/4" x 5000'	2500 lbs	80 lbs

* This item has 8 reels per carton.



KEVLAR Pulling Tape

Made of high-tenacity, high-strength aramid yarn, KEVLAR pulling tape offers the highest strength per width along with low elongation. Aramid fibers limit oxygen index, allowing the tape to be used in duct applications where flame resistant requirements exist.

Item #	Description	Length	Tensile	Weight
179200	Yellow w/Blk Markers	3/8" x 3000'	1250 lbs	13 lbs
179201	Yellow w/Blk Markers	1/2" x 5000'	2500 lbs	20 lbs





Double Braid Polyester Pull Rope

w/Spliced Eyes at Each End

CWC double braid polyester pulling rope offers high strength, low stretch and torque-free construction. Factory spliced eyes at each end. Urethane coat available.

- Ideal for pulling string lines, heavy wire and electrical cable
- Great for prolonged outdoor usage

Item #	Size	Description	Tensile	Weight
347043	3/8" x 600'	White	4800 lbs	29 lbs
347058	1/2" x 300'	White	8400 lbs	104 lbs
347473	1/2" x 600'	White	8400 lbs	26 lbs
347066	1/2" x 1200'	White	8400 lbs	52 lbs
347059	9/16" x 300'	White	10750 lbs	34 lbs
347057	9/16" x 600'	White	10750 lbs	68 lbs
347474	5/8" x 300'	White	12300 lbs	39 lbs
347475	5/8" x 600'	White	12300 lbs	80 lbs
347477	5/8" x 1200'	White	12300 lbs	156 lbs
348113	3/4" x 300'	White	17400 lbs	225 lbs
348115	3/4" x 600'	White	17400 lbs	56 lbs
348116	3/4" x 1200'	White	17400 lbs	94 lbs
348124	7/8" x 600'	White	24000 lbs	154 lbs
348114	7/8" x 1200'	White	24000 lbs	307 lbs
348127	1 x 300'	White	31200 lbs	184 lbs



Blue Steel™ Cal Truck Rope

BLUE STEEL™ truck rope is made from one of the strongest copolymer fibers available. This rope features lower elongation and more strength than polypro ropes with twice the wear life.

- Superior strength and easy handling
- Great UV and abrasion resistance

Item #	Size	Description	Tensile	Weight
405405	3/8" x 600'	Teal w/Orange Tracer	3800 lbs	21 lbs
405410	7/16" x 600'	Teal w/Orange Tracer	4700 lbs	25 lbs
405415	1/2" x 600'	Teal w/Orange Tracer	6600 lbs	34 lbs
405420	5/8" x 600'	Teal w/Orange Tracer	11000 lbs	46 lbs
405425	3/4" x 600'	Teal w/Orange Tracer	13900 lbs	59 lbs
405430	1 x 600'	Teal w/Orange Tracer	23100 lbs	104 lbs



3 Strand Polypro Conduit Rope

CWC conduit rope is a strong monofilament polypropylene that ties easily and holds a knot well. It can be pulled or vacuumed through conduits. Will not rot.

- Good abrasion and UV resistance
- High strength and minimal stretch

Item #	Size	Description	Tensile	Weight
304003	1/8" x 1000'	Yellow	300 lbs	3 lbs
304005	1/8" x 3000'	Yellow	300 lbs	9 lbs
304025	3/16" x 3000'	Yellow	650 lbs	20 lbs
304027	3/16" x 3600'	Yellow	650 lbs	24 lbs
304042	1/4" x 2000'	Yellow	1125 lbs	14 lbs
304045	1/4" x 2400'	Yellow	1125 lbs	26 lbs
304050	1/4" x 4000'	Yellow	1125 lbs	44 lbs
304053	1/4" x 4000'	Black	1125 lbs	44 lbs
304055	1/4" x 4000'	Black w/Extra UV	1125 lbs	44 lbs
304054	1/4" x 5000'	Yellow	1125 lbs	55 lbs
304060	1/4" x 25000'	Yellow	1125 lbs	280 lbs
304100	3/8" x 2500'	Yellow	2430 lbs	59 lbs
304105	3/8" x 3600'	Yellow	2430 lbs	90 lbs



Polypro Cal Truck Rope

CWC polypropylene truck rope is a durable, rugged rope, good for outdoor hauling use. This color-safe, monofilament rope offers UV and abrasion resistance with minimal stretch. Will not rot or deteriorate.

Features:

- Conforms to CHP requirements
- Resists oil and most common chemicals

Item #	Size	Color	Tensile	Weight
305005	3/8" x 600'	Black w/Org Tracer	2430 lbs	17 lbs
305010	3/8" x 1200'	Black w/Org Tracer	2430 lbs	33 lbs
305015	7/16" x 600'	Black w/Org Tracer	3150 lbs	23 lbs
305025	1/2" x 600'	Black w/Org Tracer	3780 lbs	27 lbs
305030	1/2" x 1200'	Black w/Org Tracer	3780 lbs	59 lbs
305035	5/8" x 600'	Black w/Org Tracer	5580 lbs	46 lbs
305038	3/4" x 300'	Black w/Org Tracer	7650 lbs	31 lbs
305040	3/4" x 600'	Black w/Org Tracer	7650 lbs	60 lbs
305045	1" x 600'	Black w/Org Tracer	12825 lbs	117 lbs



3 Strand Monofilament Polypro Rope

This rope exhibits excellent resistance to oil, rot and most common chemicals. The 3 strand construction offers high strength with moderate stretch. Rope floats and will not absorb water.

Features:

- Lightweight, durable & economical
- Good resistance to abrasion & UV light
- Other colors available, including CWC Manila™

Yellow	Y/Y/B	Black	White	Dimensions	Tensile	Wt
300005				3/16" x 250'	650 lbs	2 lbs
300010		301050		3/16" x 600'	650 lbs	5 lbs
300015	301006	301055	301145	3/16" x 1200'	650 lbs	8 lbs
300030				1/4" x 250'	1125 lbs	4 lbs
400714				1/4" x 400'	1125 lbs	5 lbs
300035	301010	301060	301146	1/4" x 600'	1125 lbs	7 lbs
300040	301015	301065	301147	1/4" x 1200'	1125 lbs	14 lbs
		301067		1/4" x 2400'	1125 lbs	30 lbs
		304053		1/4" x 4000'	1125 lbs	44 lbs
300055	301020	301075	301144	5/16" x 600'	1710 lbs	12 lbs
300060	301021	301077	301143	5/16" x 1200'	1710 lbs	22 lbs
300073				3/8" x 300'	2430 lbs	8 lbs
300075	301023	301085	301148	3/8" x 600'	2430 lbs	16 lbs
300080		301087	301149	3/8" x 1200'	2430 lbs	32 lbs
		301086		3/8" x 2400'	2430 lbs	64 lbs
300110		301089		7/16" x 600'	3150 lbs	21 lbs
300115				7/16" x 1200'	3150 lbs	42 lbs
300120	301025	301090	301150	1/2" x 600'	3780 lbs	28 lbs
300125		301092	301151	1/2" x 1200'	3780 lbs	56 lbs
300130				9/16" x 600'	4590 lbs	35 lbs
300140	301027	301095		5/8" x 600'	5580 lbs	43 lbs
300145				5/8" x 1200'	5580 lbs	86 lbs
300150	301029	301100	301153	3/4" x 600'	7650 lbs	62 lbs
300155				3/4" x 1200'	7650 lbs	124 lbs
300160	301031	301103		7/8" x 600'	10350 lbs	97 lbs
300200	301038	301105	301156	1" x 600'	12825 lbs	108 lbs
300205				1" x 1200'	12825 lbs	216 lbs
300210		301106		1-1/8" x 600'	16000 lbs	136 lbs
300220	301040	301118		1-1/4" x 600'	19350 lbs	165 lbs
300236	301043	301117		1-1/2" x 600'	27350 lbs	236 lbs
300247	301044			1-3/4" x 600'	36900 lbs	318 lbs
300251	301046			2" x 600'	46800 lbs	414 lbs
300261	301045			2-1/2" x 600'	72000 lbs	642 lbs
300271	301048			3" x 600'	102600 lbs	920 lbs



Hollow Braid Polypro Rope

CWC hollow braid is a strong, lightweight polypropylene rope that floats and has excellent resistance to oil, rot and most common chemicals. This rope has good abrasion, UV and dielectric properties.

Features:

- Spliceable and will not kink
- Less stretch than 3 strand ropes
- Economical general-purpose rope

Item #	Size	Size	Color	Tensile	Weight
100005	1/8" x 1000'	#4	Yellow	230 lbs	4 lbs
100292	3/16" x 660'	#6	Green	690 lbs	4 lbs
100010	3/16" x 500'	#6	Yellow	690 lbs	3 lbs
100015	3/16" x 1000'	#6	Yellow	690 lbs	6 lbs
100020	1/4" x 100'	#8	Yellow	990 lbs	1 lb
100030	1/4" x 500'	#8	Yellow	990 lbs	5 lbs
100295	1/4" x 660'	#8	Green	990 lbs	7 lbs
100035	1/4" x 1000'	#8	Yellow	990 lbs	9 lbs
100306	1/4" x 1000'	#8	Black	990 lbs	9 lbs
100303	1/4" x 1000'	#8	Black/Yellow	990 lbs	9 lbs
100304	1/4" x 1000'	#8	Green/White	990 lbs	9 lbs
100047	1/4" x 1000'	#8	Orange	990 lbs	9 lbs
100040	1/4" x 1000'	#8	White	990 lbs	9 lbs
100296	1/4" x 1320'	#8	Green	990 lbs	13 lbs
100305	1/4" x 3000'	#8	Black	990 lbs	27 lbs
100055	5/16" x 500'	#10	Yellow	1238 lbs	8 lbs
100297	5/16" x 660'	#10	Green	1238 lbs	10 lbs
100060	5/16" x 1000'	#10	Yellow	1238 lbs	15 lbs
100075	3/8" x 500'	#12	Yellow	1980 lbs	9 lbs
100298	3/8" x 600'	#12	Green	1980 lbs	11 lbs
100086	3/8" x 600'	#12	White	1980 lbs	11 lbs
100100	3/8" x 1000'	#12	Yellow	1980 lbs	19 lbs
100105	1/2" x 300'	#16	Yellow	2880 lbs	9 lbs
100110	1/2" x 500'	#16	Yellow	2880 lbs	14 lbs
100299	1/2" x 600'	#16	Green	2880 lbs	17 lbs
100115	1/2" x 1000'	#16	Yellow	2880 lbs	29 lbs
100130	5/8" x 500'	#20	Yellow	6500 lbs	30 lbs
100320	5/8" x 500'	#20	Orange	6500 lbs	30 lbs
100140	3/4" x 500'	#24	Yellow	7500 lbs	43 lbs



3 Strand Manila Rope

CWC offers 3 strand PACIFIC™ manila rope in both coils and reels. Made from natural abaca fiber, manila rope is biodegradable, and provides low stretch and good resistance to abrasions and sunlight.

Features:

- Strongest natural fiber rope available
- Stretch and abrasion resistant
- Natural biodegradable fiber
- Also available with a blue tracer



3 Strand Sisal Rope

Natural fiber sisal rope is both biodegradable and economical. Applications include marine, industrial and agriculture, as well as general purpose uses. Good resistance to sunlight and abrasion.

Features:

- Bundling rope for home, farming or shipping
- Easy to grip and knot
- Natural biodegradable fiber
- Moderate strength and pliability

Item #	Size	Length	Put Up	Tensile	Weight
200005	3/16"	3300'	Coil	405 lbs	45 lbs
200007	1/4"	600'	Coil	540 lbs	9 lbs
200010	1/4"	1250'	Coil	540 lbs	19 lbs
200015	1/4"	2500'	Coil	540 lbs	40 lbs
200016	5/16"	600'	Coil	900 lbs	15 lbs
200020	5/16"	1725'	Coil	900 lbs	44 lbs
200025	3/8"	600'	Coil	1215 lbs	19 lbs
200030	3/8"	1200'	Coil	1215 lbs	37 lbs
200035	7/16"	600'	Coil	1575 lbs	29 lbs
200045	1/2"	600'	Coil	2385 lbs	36 lbs
200050	1/2"	1200'	Coil	2385 lbs	84 lbs
200055	5/8"	600'	Coil	3960 lbs	64 lbs
200060	5/8"	1200'	Coil	3960 lbs	142 lbs
200065	3/4"	600'	Coil	4860 lbs	95 lbs
200070	3/4"	1200'	Coil	4860 lbs	190 lbs
200100	7/8"	600'	Coil	6930 lbs	111 lbs
200108	1"	100'	Coil	8100 lbs	26 lbs
200109	1"	300'	Coil	8100 lbs	77 lbs
200110	1"	600'	Coil	8100 lbs	119 lbs
200115	1"	1200'	Coil	8100 lbs	238 lbs
200120	1 1/8"	600'	Coil	10800 lbs	172 lbs
200130	1 1/4"	600'	Coil	12150 lbs	203 lbs
200138	1 1/2"	600'	Coil	16650 lbs	318 lbs
200151	2"	600'	Coil	27900 lbs	568 lbs
201003	1/4"	600'	Reel	540 lbs	11 lbs
201005	1/4"	1200'	Reel	540 lbs	22 lbs
201007	5/16"	600'	Reel	900 lbs	16 lbs
201015	3/8"	600'	Reel	1215 lbs	23 lbs
201020	7/16"	600'	Reel	1575 lbs	29 lbs
201025	1/2"	600'	Reel	2385 lbs	40 lbs
201030	5/8"	600'	Reel	3960 lbs	75 lbs
201035	3/4"	600'	Reel	4860 lbs	93 lbs

Item #	Size	Length	Put Up	Tensile	Weight
208001	3/16"	3300'	Coil	290 lbs	43 lbs
208003	3/16"	2100'	Coil	290 lbs	27 lbs
208005	1/4"	1500'	Coil	385 lbs	26 lbs
208010	1/4"	2500'	Coil	385 lbs	44 lbs
208013	5/16"	1035'	Coil	640 lbs	26 lbs
208015	5/16"	1725'	Coil	640 lbs	43 lbs
208025	3/8"	600'	Coil	865 lbs	22 lbs
208026	3/8"	732'	Spool	865 lbs	26 lbs
208030	3/8"	1200'	Coil	865 lbs	41 lbs
208032	3/8"	2400'	Coil	865 lbs	86 lbs
208040	1/2"	600'	Coil	1700 lbs	42 lbs
208050	5/8"	600'	Coil	2815 lbs	64 lbs
208056	5/8"	750'	Coil	2815 lbs	100 lbs
208065	3/4"	600'	Coil	3455 lbs	80 lbs
208069	1"	370'	Coil	5760 lbs	80 lbs
208070	1 1/4"	300'	Coil	8640 lbs	64 lbs

High Strength Rope



12 Strand Blue Steel™ High Strength Rope

Our CWC 12 strand BLUE STEEL™ is one of the strongest copolymer ropes in the market today. Made from high tenacity polyolefin yarns, this rope offers easy handling and high strength with excellent abrasion and UV resistance.

- Flexible non-rotating construction
- 30-40% stronger than comparable polypropylene ropes

Item #	Size	Description	Tensile	Weight
353290	1/4" x 600'	Teal w/Dk Blue Tracer	1730 lbs	9 lbs
353300	3/8" x 600'	Teal w/Dk Blue Tracer	5110 lbs	19 lbs
353310	1/2" x 600'	Teal w/Dk Blue Tracer	6900 lbs	33 lbs
353320	5/8" x 600'	Teal w/Dk Blue Tracer	12200 lbs	58 lbs
353325	3/4" x 600'	Teal w/Dk Blue Tracer	15900 lbs	75 lbs
353330	1" x 600'	Teal w/Dk Blue Tracer	25200 lbs	117 lbs



12 Strand Spectra™ Super Strength Rope

12-strand Spectra® provides very high strength, low stretch and excellent abrasion resistance in a single braid construction. More than 3 times stronger than polyester with less than half of the elongation. It's torque-free and easy to splice. Comes with a polyurethane finish.

- Very low stretch with very high strength
- Soft, torque free braided construction provides easy handling
- Ideal for emergency tows, utility winches and pulling lines

Item #	Size	Description	Tensile	Weight
353344	1/8" x 600'	Grey	1800 lbs	4 lbs
353343	3/16" x 600'	Grey	3600 lbs	6 lbs
353346	1/4" x 600'	Grey	6000 lbs	10 lbs
353345	5/16" x 600'	Grey	9000 lbs	16 lbs
353349	3/8" x 600'	Grey	13900 lbs	22 lbs
353348	3/8" x 1200'	Grey	13900 lbs	44 lbs
353352	7/16" x 600'	Grey	14800 lbs	25 lbs
353350	1/2" x 600'	Grey	22500 lbs	39 lbs
353355	5/8" x 600'	Grey	36600 lbs	62 lbs
353358	3/4" x 600'	Grey	43200 lbs	80 lbs



3 Strand Poly/Dac Combo Rope

Our 3 strand CWC Poly/Dac combo rope features high tensile polyester fiber bound over polypropylene core yarns. This rope features excellent abrasion resistance and high strength.

- Soft hand/good grip service
- Strong and economical
- Good for industrial applications

Item #	Size	Description	Tensile	Weight
325005	1/4" x 600'	White w/Org Tracer	1200 lbs	10 lbs
325010	1/4" x 1200'	White w/Org Tracer	1200 lbs	20 lbs
325015	5/16" x 600'	White w/Org Tracer	1870 lbs	15 lbs
325020	5/16" x 1200'	White w/Org Tracer	1870 lbs	30 lbs
325025	3/8" x 600'	White w/Org Tracer	2700 lbs	22 lbs
325030	3/8" x 1200'	White w/Org Tracer	2700 lbs	44 lbs
325040	7/16" x 600'	White w/Org Tracer	3500 lbs	29 lbs
325041	7/16" x 1200'	White w/Org Tracer	3500 lbs	58 lbs
325044	1/2" x 600'	White	4400 lbs	37 lbs
325045	1/2" x 600'	White w/Org Tracer	4400 lbs	37 lbs
325050	1/2" x 1200'	White w/Org Tracer	4400 lbs	74 lbs
325060	9/16" x 600'	White w/Org Tracer	5200 lbs	47 lbs
325064	5/8" x 600'	White	6100 lbs	57 lbs
325065	5/8" x 600'	White w/Org Tracer	6100 lbs	57 lbs
325070	5/8" x 1200'	White w/Org Tracer	6100 lbs	114 lbs
325100	3/4" x 600'	White w/Org Tracer	8400 lbs	81 lbs
325105	3/4" x 1200'	White w/Org Tracer	8400 lbs	162 lbs
325110	7/8" x 600'	White w/Org Tracer	11125 lbs	108 lbs
325120	1" x 600'	White w/Org Tracer	13175 lbs	130 lbs
325095	1" x 600'	White	13175 lbs	130 lbs
325130	1 1/8" x 600'	White w/Org Tracer	16325 lbs	163 lbs
325140	1 1/4" x 600'	White w/Org Tracer	19900 lbs	200 lbs
325147	1 1/2" x 600'	White w/Org Tracer	28250 lbs	282 lbs
325167	1-3/4" x 600'	White w/Org Tracer	36850 lbs	372 lbs
325173	2" x 600'	White w/Org Tracer	48050 lbs	486 lbs

134008

134126

Mason/Seine Twine - Braided

Also known as mason twine, CWC seine twine has a smooth braided jacket that resists abrasion, holds chalk well and can be used for net repair and trot lines, making it popular in the construction and fishing industries. The synthetic fiber construction lasts longer than cotton and resists rot, mildew, petroleum products and most common chemicals.

Features:

- Resists abrasion, mildew & chemicals
- Construction twine
- Come in 4, 8 and 16 oz tubes
- Available in an assortment of highly visible colors

134018

135124

135072

Mason/Seine Twine - Twisted

CWC twisted seine twine (Also referred to as chalk or mason line) has excellent resistance to rot, abrasion, water, oil, grease and most chemicals. Less bend, lower stress point than braided seine twine. Ties easily and knots securely. Common to the marine, electrical and construction industries, this twine is also useful in home and garden applications.

Features:

- Resists abrasion, mildew & chemicals
- Used as chalk line,
- Come in 4, 8 and 16 oz tubes
- Available in an assortment of highly visible colors

135059

Item #	Size	Put-up	Color	Units	Weight
134004	#18 x 275'	4 oz	White	12	4 lbs
134008	#18 x 275'	4 oz	Yellow	12	4 lbs
134130	#18 x 275'	4 oz	Neon Yellow	12	4 lbs
134135	#18 x 275'	4 oz	Neon Pink	12	4 lbs
134140	#18 x 275'	4 oz	Neon Orange	12	4 lbs
134125	#18 x 275'	4 oz	Neon Green	12	4 lbs
134009	#18 x 550'	8 oz	White	12	7 lbs
134013	#18 x 550'	8 oz	Yellow	12	7 lbs
134126	#18 x 550'	8 oz	Green	12	7 lbs
134132	#18 x 550'	8 oz	Neon Yellow	12	7 lbs
134137	#18 x 550'	8 oz	Neon Pink	12	7 lbs
134142	#18 x 550'	8 oz	Neon Orange	12	7 lbs
134127	#18 x 550'	8 oz	Neon Green	12	7 lbs
134018	#18 x 1100'	16 oz	White	12	13 lbs
134014	#18 x 1100'	16 oz	Yellow	12	13 lbs
134016	#18 x 1100'	16 oz	Green	12	13 lbs
134134	#18 x 1100'	16 oz	Neon Yellow	12	13 lbs
134139	#18 x 1100'	16 oz	Neon Pink	12	13 lbs
134144	#18 x 1100'	16 oz	Neon Orange	12	13 lbs
134129	#18 x 1100'	16 oz	Neon Green	12	13 lbs

Item #	Size	Put-up	Color	Units	Weight
135015	#9 x 525'	4 oz	White	12	3 lbs
135025	#15 x 375'	4 oz	White	12	4 lbs
135055	#15 x 375'	4 oz	Yellow	12	4 lbs
135105	#15 x 570'	8 oz	Yellow	12	7 lbs
135031	#18 x 275'	4 oz	White	12	4 lbs
135061	#18 x 275'	4 oz	Yellow	12	4 lbs
135062	#18 x 275'	4 oz	Black	12	4 lbs
135059	#18 x 275'	4 oz	Neon Yellow	12	4 lbs
135032	#18 x 275'	4 oz	Pink	12	4 lbs
135034	#18 x 275'	4 oz	Orange	12	4 lbs
135058	#18 x 275'	4 oz	Neon Green	12	4 lbs
135071	#18 x 550'	8 oz	White	12	7 lbs
135109	#18 x 550'	8 oz	Yellow	12	7 lbs
135108	#18 x 550'	8 oz	Neon Yellow	12	7 lbs
135072	#18 x 550'	8 oz	Pink	12	7 lbs
135074	#18 x 550'	8 oz	Orange	12	7 lbs
135126	#18 x 1100'	16 oz	White	12	12 lbs
135141	#18 x 1100'	16 oz	Yellow	12	12 lbs
135139	#18 x 1100'	16 oz	Neon Yellow	12	12 lbs
135127	#18 x 1100'	16 oz	Pink	12	12 lbs
135124	#18 x 1100'	16 oz	Orange	12	12 lbs
135050	#36 x 120'	4 oz	White	12	5 lbs
135136	#36 x 480'	16 oz	White	12	12 lbs
135140	#36 x 480'	16 oz	Yellow	12	12 lbs
135137	#48 x 480'	16 oz	White	12	12 lbs



Silver Duct Tape

From economy to professional grade, all CWC duct tape combines coated cloth, natural rubber with synthetic resin adhesive. Excellent shear values to surface and backing. It has a good conformability and excellent resistance to tear.

- Effective both indoor and outdoors
- Good adhesion to metals & plastic
- 4 Grades for different applications

Item #	Size	Description	Rolls/Ctn	Weight
057029	2" x 50 Yds	6 mil Economy Grade	24	24 lbs
057030	2" x 60 Yds	7 mil Utility Grade	24	30 lbs
057099	2" x 60 Yds	9 mil Industrial Grade	24	35 lbs
057156	3" x 60 Yds	9 mil Industrial Grade	16	35 lbs
057402	4" x 60 Yds	9 mil Industrial Grade	12	35 lbs
057045	2" x 60 Yds	11 mil Premium Grade	24	35 lbs



Colored Duct Tape

CWC colored duct tape is high quality, with natural rubber-based adhesive on polyethylene-coated cloth. Tape will conform well to irregular surfaces, and will not twist or curl during application.

- Excellent water & abrasion resistance
- Tape is hand-tearable
- Use for color coding

Item #	Size	Description	Rolls/Ctn	Weight
057097	2" x 60 Yds	Black 9 mil Industrial Grade	24	35 lbs
057098	2" x 60 Yds	Blue 9 mil Industrial Grade	24	35 lbs
057093	2" x 60 Yds	Green 9 mil Industrial Grade	24	35 lbs
057095	2" x 60 Yds	Red 9 mil Industrial Grade	24	35 lbs
057096	2" x 60 Yds	White 9 mil Industrial Grade	24	35 lbs



Electrical Tape

CWC electrical tape can be used for all kinds of mechanical and electrical applications. Suitable for use up to 600 V and 60°C (140°F)

- 7 mil thickness
- UL and CSA listed
- Soft stretchable polyvinyl backing

Item #	Size	Description	Rolls/Ctn	Weight
059006	3/4" x 60'	Black 7 mil - Polyvinyl	200	38 lbs



Rubber Splicing Tape

Economical rubber/vinyl insulating tape is self-fusing, and can be used for low-voltage electrical insulating, up to 600 volts.

Features:

- General rubber insulating and splicing
- Seals out moisture
- Linerless rubber vinyl

Item #	Size	Description	Rolls/Ctn	Weight
059010	3/4" x 22'	Black #40 Rubber Tape	100	40 lbs



Pipe Wrap

CWC pipe wrapping tape offers a pure physical barrier that is moisture proof, inert and non-conducting. Whether the need is to protect overhead piping in industrial applications, exposed pipe anywhere, or direct burial piping, our CWC pipe wrap tape gives a completely uniform coating all around.

- Protection for metal piping systems above and below ground.
- Protection for fittings and joints on mill coated pipe
- Protection of electrical conduit & fittings

Item #	Size	Description	Rolls/Ctn	Weight
059802	3/4" x 260"	White 3.5 mil Teflon	200	10 lbs
059080	2" x 100"	Black 12 mil	24	28 lbs
059081	2" x 100"	Yellow 12 mil	24	28 lbs
059090	4" x 100"	Black 12 mil	12	28 lbs
059091	6" x 100"	Black 12 mil	8	28 lbs




Masking Tape

CWC general-purpose paper tape for holding, bundling, sealing, non-critical masking and a vast number of other jobs where a pressure-sensitive tape is needed.

- Use for packaging and everyday needs
- Resistant to water and oil
- Contractors grade for painting and construction industries
- Residue free

Item #	Size	Description	Rolls/Ctn	Weight
055310	1/2" x 60 Yds	5.6 mil - Crepe	72	13 lbs
055315	3/4" x 60 Yds	5.6 mil - Crepe	48	13 lbs
055320	1" x 60 Yds	5.6 mil - Crepe	36	12 lbs
055325	1 1/2" x 60 Yds	5.6 mil - Crepe	24	12 lbs
055327	2" x 60 Yds	5.6 mil - Crepe	24	15 lbs
055335	3" x 60 Yds	5.6 mil - Crepe	12	12 lbs
055340	4" x 60 Yds	5.6 mil - Crepe	12	16 lbs



Painters Tape

CWC painters tape removes cleanly without adhesive transfer or surface damage from 7 to 14 days, even in direct sunlight. This is a medium adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.

- Leaves razor sharp paint lines and a perfect finish
- For smooth to semi-rough woodwork, glass and metal surfaces
- Comes retail packaged

14-Day Blue

Item #	Size	Description	Rolls/Ctn	Weight
055040	3/4" x 60 Yds	5.2 mil - Blue	48	13 lbs
055041	1" x 60 Yds	5.2 mil - Blue	36	12 lbs
055042	1 1/2" x 60 Yds	5.2 mil - Blue	24	12 lbs
055043	2" x 60 Yds	5.2 mil - Blue	24	15 lbs

7-Day Green

Item #	Size	Description	Rolls/Ctn	Weight
055045	3/4" x 60 Yds	5.0 mil - Green	48	13 lbs
055046	1" x 60 Yds	5.0 mil - Green	36	12 lbs
055047	1 1/2" x 60 Yds	5.0 mil - Green	24	12 lbs
055048	2" x 60 Yds	5.0 mil - Green	24	15 lbs



Anti-Slip Tape

CWC's self-adhesive anti-slip tape will adhere to any smooth, clean, dry surface. High traction surface stands up to heavy foot traffic. Works indoors or outdoors.

- Heavy duty grip surface
- Other colors available on request

Item #	Size	Description	Rolls/Ctn	Weight
059451	1" x 60'	30 mil Black - Anti-Slip	12	10 lbs
059452	2" x 60'	30 mil Black - Anti-Slip	6	10 lbs
059453	3" x 60'	30 mil Black - Anti-Slip	4	10 lbs
059454	4" x 60'	30 mil Black - Anti-Slip	3	10 lbs



Flagging Tape

CWC standard flagging tape is bright colored and easy to see at a distance. Available in 2 and 4 mil thickness. Vinyl construction for commercial use.

- Flag off boundaries and/or hazards
- Distinguish work areas

Item #	Size	Description	Rolls/Ctn	Weight
059520	1-3/16" x 300'	2 mil White	12	4 lbs
059500	1-3/16" x 150'	4 mil Neon Yellow	12	3 lbs
059503	1-3/16" x 150'	4 mil Neon Blue	12	3 lbs
059507	1-3/16" x 300'	4 mil Green	12	3 lbs
059509	1-3/16" x 300'	4 mil Green/White	12	3 lbs
059510	1-3/16" x 300'	4 mil Yellow/White	12	3 lbs



Barricade Tape

Use CWC caution tape to identify hazards. Used by many industries, including law enforcement, construction, safety, event management, mining, custodial, hardware and utility.

- Warn of hazards and prevent accidents
- Highly visible heavy-duty construction

Item #	Size	Description	Rolls/Ctn	Weight
059312	3" x 1000'	1.5 mil Red "Danger"	10	24 lbs
059327	3" x 1000'	2.0 mil Yellow "Caution"	10	35 lbs
059425	3" x 1000'	2.4 mil Red "Danger"	10	35 lbs



Regular Duty Steel Strap

Our regular-duty steel strapping is manufactured from cold rolled steel. All CWC regular-duty steel strapping can be used with manual and pneumatic tools as well as automatic steel strapping heads. Coils come 95 lbs.

Features:

- Can be used with Signode tools
- Skid Lot Special / Call For Skid Pricing!

Item #	Size	Thick	Ft/Lb	Tensile	Finish	Winding
177009	3/8" x 3724'	0.020	39.2'	880 lbs	P/W	OS
177002	1/2" x 3734'	0.015	39.3'	890 lbs	P/W	OS
177005	1/2" x 2793'	0.020	29.4'	1180 lbs	P/W	OS
177118	1/2" x 2793'	0.020	29.4'	1180 lbs	Zinc	OS
177007	1/2" x 2432'	0.023	25.6'	1350 lbs	P/W	OS
177020	5/8" x 2242'	0.020	23.6'	1470 lbs	P/W	OS
177021	5/8" x 2242'	0.020	23.6'	1470 lbs	Zinc	OS
177022	5/8" x 1948'	0.023	20.5'	1690 lbs	P/W	OS
177013	3/4" x 1862'	0.020	19.6'	1765 lbs	P/W	OS
177011	3/4" x 1625'	0.023	17.1'	2025 lbs	P/W	OS



Heavy Duty Steel Strap

CWC heavy-duty steel strapping is a cold-rolled, heat-treated, medium carbon steel strapping that provides high tensile strength and excellent shock resistance for the heaviest-duty applications. Coils come 95 lbs.

Features:

- High tensile strengths w/minimal elongation
- Oscillated or ribbon wound

Item #	Size	Thick	Ft/Lb	Tensile	Finish	Winding
177019	5/8" x 2235'	0.020	23.6'	1855 lbs	P/W	OS
177012	3/4" x 1862'	0.020	19.6'	2380 lbs	P/W	OS
177113	3/4" x 1862'	0.020	19.6'	2380 lbs	Zinc	OS
177017	3/4" x 1625'	0.023	17.1'	2555 lbs	P/W	OS
177014	3/4" x 1492'	0.025	15.7'	2675 lbs	P/W	OS
177114	3/4" x 1492'	0.025	15.7'	2675 lbs	Zinc	OS
177010	3/4" x 1264'	0.029	13.3'	3205 lbs	P/W	OS
177015	3/4" x 1207'	0.031	12.7'	3371 lbs	P/W	OS
177034	1 1/4" x 1036'	0.025	10.9'	4360 lbs	P/W	RB
177030	1 1/4" x 770'	0.029	8.1'	5450 lbs	P/W	RB
177031	1 1/4" x 770'	0.029	8.1'	5450 lbs	Zinc	RB
177032	1 1/4" x 722'	0.031	7.6'	5510 lbs	P/W	RB



High Tensile Steel Strap

Our high tensile steel strapping is manufactured from cold rolled steel. Can be used in manual and pneumatic tools as well as automatic strapping heads. Coils come 95 lbs.

Features:

- Keeps loads secure during sudden stops
- Painted and waxed finish
- Recommended for use on shipments by rail

Item #	Size	Thick	Ft/Lb	Tensile	Finish	Winding
177080	3/4" x 1492'	0.025	15.7'	2770 lbs	P/W	OS
177083	1 1/4" x 770'	0.029	8.11'	5530 lbs	P/W	RB
177084	1 1/4" x 721'	0.031	7.59'	5619 lbs	P/W	RB
177092	1 1/4" x 638'	0.035	6.72'	6655 lbs	P/W	RB
177033	1 1/4" x 508'	0.044	5.35'	8065 lbs	P/W	RB
177038	2" x 314'	0.044	3.30'	12900 lbs	P/W	RB



Punched Steel Strap

Our CWC punched strapping is ideal for anchoring and comes 3/4 in wide, .020 in center punched with .140 in diameter holes, 3/4 inches apart.

Features:

- Punched steel
- Anchor strapping with nails for added stability or security

Item #	Size	Thick	Ft/Lb	Tensile	Finish	Winding
177318	3/4" x 1862'	0.020	19.7'	1170 lbs	P/W	RB

Steel Strap Mini Coils

CWC mini coils are manufactured from cold rolled steel and effective for applications that call for high mobility and a low volume of strapping. Packaged in a self-dispensing carton for quick, convenient use on the go.

Features:

- Portable dispenser box for on-the-spot jobs
- Signode tool compatible

Item #	Size	Thick	Ft/Lb	Tensile	Finish	Weight
177202	1/2" x 200'	0.020	29.4'	1223 lbs	P/W	10 lbs
177008	1/2" x 300'	0.020	29.4'	1223 lbs	P/W	13 lbs
177203	5/8" x 200'	0.020	23.6'	1508 lbs	P/W	12 lbs
177206	5/8" x 300'	0.020	23.6'	1508 lbs	P/W	13 lbs
177204	3/4" x 200'	0.020	19.6'	1812 lbs	P/W	12 lbs
177208	3/4" x 300'	0.020	19.6'	1812 lbs	P/W	15 lbs



Steel Strap Crimper/Sealer

In a single action, CWC steel strap crimper/sealers work to produce a maximum strength joint. Heavy duty and side notch available.

Item #	Description	Width	Thick	Wt
176712	CWC Standard Short Handle Sealer	1/2"	.015-.023	3 lbs
176713	CWC Standard Short Handle Sealer	5/8"	.015-.023	3 lbs
176715	CWC Standard Short Handle Sealer	3/4"	.015-.023	3 lbs
176716	CWC Heavy Duty Sealer	1 1/4"	.035	4 lbs
176625	Standard 1 Notch Sealer (Push)	1/2"	.015-.023	3 lbs
176626	Standard 1 Notch Sealer (Push)	5/8"	.015-.023	3 lbs
176627	Standard 1 Notch Sealer (Push)	3/4"	.015-.023	3 lbs
176751	Standard Double Notch Sealer	3/8"	.015-.023	3 lbs
176738	Standard Double Notch Sealer	1/2"	.015-.023	3 lbs
176739	Standard Double Notch Sealer	5/8"	.015-.023	3 lbs
176732	Standard Double Notch Sealer	3/4"	.015-.023	3 lbs
176733	CWC Heavy Duty Long Handle Sealer	1/2"	.015-.023	3 lbs
176734	CWC Heavy Duty Long Handle Sealer	5/8"	.015-.023	3 lbs
176735	CWC Heavy Duty Long Handle Sealer	3/4"	.015-.023	3 lbs
176743	Heavy Duty Double Notch Front Action Sealer	3/4"	.023-.031	3 lbs
176719	Heavy Duty Single Notch Side Action Sealer	1 1/4"	.025-.031	8 lbs
176730	Heavy Duty Single Notch Side Action Sealer	3/4"	.025-.031	11 lbs
176717	Heavy Duty Double Notch Side Action Sealer	1 1/4"	.025-.031	11 lbs



Steel Strap Shears

The CWC steel strapping shears are available in both standard duty and extra heavy-duty. Use to cut off excess steel strapping.

Features:

- Industrial strength
- Economy and high carbon shears available

CWC #	Description	Width	Thick	Wt
176710	Heavy Duty Steel Shears	3/8"-1 1/4"	.015 - .031	2 lbs
176752	High Carbon Steel Strap Cutters	2"	0.035	3 lbs
176711	Economy Steel Shears	3/8"-3/4"	.015-.031	2 lbs
176708	Heavy Duty Steel Shears	3/8"-1 1/4"	.015-.031	2 lbs
176709	Extra Heavy Duty Steel Shears	2"	0.05	7 lbs



Steel Strap Tensioners

CWC steel strapping tensioners are for all steel strapping applications. For heavier strap, try our rotary or feed wheel models.

Item #	Description	Width	Thick	Wt
176721	CWC Standard Tensioner	3/8"-3/4"	.015-.023	5 lbs
176722	CWC Compact FW Tensioner	3/8"-3/4"	.015-.023	5 lbs
176714	CWC High Tensile FW Tensioner	3/8"-3/4"	.015-.023	6 lbs
176720	CWC Heavy Duty FW Tensioner	3/4"-1 1/4"	0.035	7 lbs
176707	Regular Duty Tensioner	3/8"-3/4"	.015-.023	5 lbs
176729	Standard Tensioner	3/8"-3/4"	.015-.023	6 lbs
176718	Heavy Duty Feed Wheel Tensioner	3/4"-1 1/4"	.023-.031	8 lbs
176728	Heavy Duty Windlass Tensioner	3/4"-1 1/4"	.025-.031	12 lbs
176044	Compact FW Pusher Tensioner	3/8"-3/4"	.025-.031	7 lbs
176045	Heavy Duty FW Pusher Tensioner	5/8"-1 1/4"	.025-.031	7 lbs



Steel Seals

CWC steel seals are made from high strength carbonized steel. We carry seals to secure any width or thickness of steel strapping.

Features:

- Seals work with Signode tools.
- Made from high quality steel

Item #	Type	Mil	Size	Length	Units	Wt
175030	Snap	0.020	3/8"	1.000"	5000	25 lbs
175034	Snap	0.020	3/8"	1.000"	2500	12 lbs
175029	Snap	0.020	1/2"	1.000"	1000	7 lbs
175031	Snap	0.020	1/2"	1.125"	2500	15 lbs
175037	Snap	0.020	5/8"	1.000"	1000	8 lbs
175036	Snap	0.020	5/8"	1.125"	2500	18 lbs
175741	Snap	0.020	3/4"	1.125"	2500	20 lbs
175738	Snap	0.020	3/4"	1.250"	1000	10 lbs
175740	Open - Magazine	0.020	5/8-3/4"	1.125"	5000	47 lbs
175758	Push	0.025	1/2"	1.000"	2500	25 lbs
175756	Push	0.025	5/8"	1.000"	2500	30 lbs
175743	Push	0.025	3/4"	1.000"	2500	34 lbs
175742	Push	0.025	3/4"	0.875"	2500	28 lbs
175755	HD - Snap	0.031	3/4"	1.750"	2000	50 lbs
175760	HD - Snap	0.031	1 1/4"	2.250"	1000	47 lbs
175044	HD - Push	0.035	3/4"	1.750"	2000	71 lbs
175757	HD - Push	0.035	3/4"	2.250"	1000	45 lbs
175761	HD - Push	0.035	1 1/4"	2.250"	1000	68 lbs
175772	HD - Grit Closed	0.030	1 1/4"	2.250"	500	53 lbs



Polyester Strapping

CWC polyester strapping is used when regular polypropylene strapping isn't strong enough to get the job done. Can reduce indentation at unprotected package corners. Will not rust or stain products.

Features:

- Used for heavy-duty bundling and palletizing
- Absorbs impacts without breaking
- Viable alternative for steel strapping

16" x 3" Core

Item #	Color	Width	Thick	Length	Tensile	Coils	Wt
173035	Black	1/2"	0.020	3600'	600 lbs	2	43 lbs
173040	Black	1/2"	0.025	2900'	775 lbs	2	44 lbs
173042	Black	1/2"	0.028	3200'	820 lbs	2	52 lbs
173045	Black	5/8"	0.020	2800'	750 lbs	2	44 lbs
173050	Black	5/8"	0.025	2200'	900 lbs	2	48 lbs
173055	Black	5/8"	0.030	1800'	1100 lbs	2	48 lbs

16" x 6" Core - Green

Item #	Finish	Wth	Thick	Length	Tensile	Coils	Wt
173065	Smooth	.41"	0.021	10500'	500 lbs	1	52 lbs
173070	Smooth	.41"	0.024	9000'	600 lbs	1	52 lbs
173075	Waxed	1/2"	0.021	9000'	600 lbs	1	52 lbs
173073	Waxed	1/2"	0.018	10500'	500 lbs	1	56 lbs
173018	Smooth	1/2"	0.020	7200'	600 lbs	1	42 lbs
173058	Embossed	1/2"	0.023	7200'	600 lbs	1	44 lbs
173041	Smooth	1/2"	0.025	5800'	775 lbs	1	43 lbs
173044	Smooth	1/2"	0.028	6500'	820 lbs	1	52 lbs
173061	Embossed	1/2"	0.027	8200'	775 lbs	1	50 lbs
173080	Waxed	1/2"	0.028	6500'	820 lbs	1	53 lbs
173079	Lubed	5/8"	0.030	3600'	1100 lbs	1	50 lbs
173086	Smooth	5/8"	0.030	3800'	1100 lbs	1	50 lbs
173081	Waxed AAR	5/8"	0.035	4000'	1400 lbs	1	54 lbs
173083	Waxed	5/8"	0.035	4000'	1400 lbs	1	52 lbs
173084	Smooth	5/8"	0.035	4000'	1400 lbs	1	52 lbs
173085	Lubed AAR	5/8"	0.035	4000'	1400 lbs	1	52 lbs
173087	Lubed AAR	5/8"	0.040	4000'	1600 lbs	1	54 lbs
173088	Smooth	5/8"	0.040	4000'	1600 lbs	1	54 lbs
173089	Waxed	5/8"	0.040	4000'	1600 lbs	1	54 lbs
173092	Waxed AAR	5/8"	0.040	4000'	1600 lbs	1	54 lbs
173071	Lubed AAR	3/4"	0.040	3000'	1900 lbs	1	54 lbs

16" x 6" Core - Black

Item #	Finish	Wth	Thick	Length	Tensile	Coils	Wt
173017	Smooth	1/2"	0.020	7200'	600 lbs	1	42 lbs
173020	Smooth	1/2"	0.025	5800'	775 lbs	1	43 lbs
173043	Smooth	1/2"	0.028	6500'	820 lbs	1	52 lbs
173046	Smooth	5/8"	0.030	3600'	1100 lbs	1	48 lbs
173047	Embossed	5/8"	0.030	3600'	1100 lbs	1	48 lbs
173082	Smooth	5/8"	0.035	4000'	1400 lbs	1	52 lbs
173090	Waxed	5/8"	0.040	4000'	1600 lbs	1	54 lbs



Polyester Cord Strapping

CWC polyester cord strapping offers high strength, rugged durability and corrosion resistance, which steel and other non-metallic products cannot. Cord strap is also very simple to apply.

Features:

- Minimal tooling is necessary
- High tenacity polyester
- Safe way to securely contain your product during transport

Woven

Item #	Width	Length	Tensile	Units	Weight
174310	1/4"	2600 yds	325 lbs	4	62 lbs
174315	3/8"	1750 yds	500 lbs	4	65 lbs
174370	1/2"	1300 yds	450 lbs	4	45 lbs
174320	1/2"	1300 yds	650 lbs	4	60 lbs
174325	5/8"	1000 yds	800 lbs	4	60 lbs
174330	3/4"	700 yds	1000 lbs	4	48 lbs
174400	3/4"	550 yds	1500 lbs	2	43 lbs

Stranded

Item #	Width	Length	Tensile	Units	Weight
174005	1/4"	2600 yds	325 lbs	4	63 lbs
174010	3/8"	1750 yds	500 lbs	4	64 lbs
174015	1/2"	1300 yds	650 lbs	4	64 lbs
174020	5/8"	1000 yds	800 lbs	4	58 lbs
174025	3/4"	700 yds	1000 lbs	4	53 lbs

Composite

Item #	Width	Length	Tensile	Units	Weight
174036	3/4"	1640'	1830 lbs	2	48 lbs



Polypro Strapping

Polypropylene strap for use in both hand and machine grade. Strong and flexible, this strap is ideal for palletizing, packaging and bundling.

Features:

- Conforms easily to corners
- Shrinks with loads while maintaining tension

8" x 8" Core - Hand Grade

Item #	Color	Width	Thickness	Length	Tensile	Coils
178005	Black	1/2"	0.015	9000'	300 lbs	1
178015	Yellow	1/2"	0.020	9000'	350 lbs	1
178020	Black	1/2"	0.020	9000'	350 lbs	1
178070	Yellow	1/2"	0.031	7200'	600 lbs	1
178075	Black	1/2"	0.031	7200'	600 lbs	1
178100	Black	3/4"	0.031	4500'	1000 lbs	1

16" x 3" Core - Hand Grade

Item #	Color	Width	Thickness	Length	Tensile	Coils
178012	Black	1/2"	0.020	4500'	350 lbs	2
178057	Black	1/2"	0.026	3600'	450 lbs	2
178062	Black	1/2"	0.031	3600'	600 lbs	2
178063	Yellow	1/2"	0.031	3600'	600 lbs	2
178096	Black	5/8"	0.025	2600'	700 lbs	2
178097	Black	5/8"	0.031	2200'	900 lbs	2
178098	Black	5/8"	0.031	2200'	1000 lbs	2

16" x 6" Core - Hand Grade

Item #	Color	Width	Thickness	Length	Tensile	Coils
178010	Black	1/2"	0.015	9000'	300 lbs	1
178030	Yellow	1/2"	0.020	9000'	350 lbs	1
178035	Black	1/2"	0.020	9000'	350 lbs	1
178050	Black	1/2"	0.022	9000'	400 lbs	1
178060	Black	1/2"	0.026	7200'	450 lbs	1
170710	Black	10.5 mm	0.025	8000'	500 lbs	1
170131	White	1/2"	0.031	7200'	600 lbs	1
178090	Yellow	1/2"	0.031	7200'	600 lbs	1
178095	Black	1/2"	0.031	7200'	600 lbs	1
178088	Clear	5/8"	0.030	5400'	800 lbs	1
178099	Black	5/8"	0.031	5400'	900 lbs	1

8" x 6" Core - Machine Grade

Item #	Color	Width	Thick	Length	Tensile	Coils
178305	Clear	1/4"	0.022	17000'	200 lbs	1
178387	White	3/8"	0.024	10000'	300 lbs	1
178400	White	1/2"	0.020	9000'	350 lbs	1

8" x 8" Core - Machine Grade

Item #	Color	Width	Thick	Length	Tensile	Coils
178275	White	5 mm	0.018	23000'	140 lbs	1
178380	Yellow	1/4"	0.022	18000'	200 lbs	1
178382	White	1/4"	0.022	18000'	200 lbs	1
171035	White	3/8"	0.022	12000'	250 lbs	1
178385	White	3/8"	0.022	12900'	300 lbs	1
178383	Clear	9 mm	0.022	12000'	300 lbs	1
178390	White	1/2"	0.022	9900'	325 lbs	1
178392	Yellow	1/2"	0.024	9900'	325 lbs	1
178395	Black	1/2"	0.024	9900'	325 lbs	1
171552	White	1/2"	0.022	9000'	275 lbs	1
178401	White	1/2"	0.022	7200'	500 lbs	1
171054	Black	10.5 mm	0.028	6700'	500 lbs	1

9" x 8" Core - Machine Grade


Item #	Color	Width	Thick	Length	Tensile	Coils
178405	White	1/4"	0.022	20000'	200 lbs	1
178410	Yellow	1/4"	0.022	20000'	200 lbs	1
178415	White	3/8"	0.024	12900'	300 lbs	1
178417	Clear	3/8"	0.022	12900'	300 lbs	1
178386	Clear	3/8"	0.022	8700'	400 lbs	1
178428	Black	1/2"	0.024	9900'	325 lbs	1
178430	White	1/2"	0.024	9900'	325 lbs	1
178431	Clear	1/2"	0.022	9900'	325 lbs	1

11" x 8" Core - Machine Grade

Item #	Color	Width	Thick	Length	Tensile	Coils
178350	White	1/2"	0.026	7500'	350 lbs	1

16" x 6" Core - Machine Grade

Item #	Color	Width	Thick	Length	Tensile	Coils
171050	Black	10.5 mm	0.022	10500'	400 lbs	1
171044	Clear	10.5 mm	0.024	8000'	500 lbs	1
171051	Black	10.5 mm	0.024	8000'	500 lbs	1
171052	Black	10.5 mm	0.028	7000'	600 lbs	1
178307	Black	1/2"	0.028	6600'	500 lbs	1
178320	Black	1/2"	0.030	6000'	600 lbs	1
178325	White	1/2"	0.030	6000'	600 lbs	1
178360	Black	1/2"	0.030	8900'	400 lbs	1



Machine Grade Smooth

Our machine grade polypropylene strapping is specifically designed be used on automatic, semi-automatic and Signode strapping machines. Suited to a wide range of industries.

Features:

- High elongation and recovery
- Low tension retention
- Delivers tight, strong and fast strapping

Item #	Description	Width	Thick	Length	Tensile
171003	8" x 7.5" x Clear	1/4"	0.016	18000'	200 lbs
171054	8" x 7.5" x Black	10.5 mm	0.025	6700'	500 lbs



Friction Welders

These tools combine manual tensioning with battery-powered automatic sealing. Eliminate the need for separate metal seals, tensioners, crimper sealers and cutters.

Features:

- Adjustable for a broad range of strap size
- Approximately 250 seals per charge
- Manually adjust tension and weld time

Item #	Model	Description	Width	Weight
176108	ZP92A	ZAPAK Battery Operated Friction Tool 570 lb Tension Capacity .022" - .053" PET/PP Strap	3/8" - 5/8"	8 lbs
176109	ZP96A	ZAPAK Battery Operated Friction Tool 925 lb Tension Capacity .026" - .053" PET/PP Strap	5/8" - 3/4"	8 lbs
180950	ORT-250	ORGAPACK Battery Combo Friction Tool 560 lb Tension Capacity .019" - .039" PET/PP Strap	1/2"-5/8"	9 lbs
176811	ORT-400	ORGAPACK Battery Combo Friction Tool 900 lbs Tension Capacity .031" - .051" PET/PP Strap	5/8" - 3/4"	10 lbs
176102	VT-700L	VT700L Battery Operated Friction Tool 700 lb Tension Capacity .020" - .040" PET Strap	1/2"-5/8"	10 lbs
176106	VT-700L	Spare Battery For VT-700L	N/A	Call us



Pre Cut Straps

CWC pre cut polypropylene straps are 17' in length and come with a pre-attached poly buckle. They are a quick, easy way to strap pallets and cartons. Color code for quick identification.

Features:

- 500 straps and buckles per carton
- Great for any strapping or banding needs

Item #	Color	Width	Length	Tensile	Weight
181045	White	1/2"	17'	300 lbs	31 lbs
181040	Yellow	1/2"	17'	300 lbs	31 lbs
181050	Black	1/2"	17'	300 lbs	31 lbs
181057	Blue	1/2"	17'	300 lbs	31 lbs
181058	Red	1/2"	17'	300 lbs	31 lbs
181055	Orange	1/2"	17'	300 lbs	31 lbs
181059	Dk Blue	1/2"	17'	300 lbs	31 lbs
181056	Green	1/2"	17'	300 lbs	31 lbs



Polypro Dispenser Pack

CWC easy-to-use, portable polypropylene strapping dispenser packs. Secure skids, boxes and tubing anywhere.

Features:

- Total strapping system in a box
- Economical and easy to use

Item #	Description	Lth	Buckles	Tensile	Color	Units
172007	1/2" x 0.018"	1200'	100 wire	300 lbs	Black	4
172012	1/2" x 0.018"	3000'	300 wire	300 lbs	Black	4
172009	1/2" x 0.018"	3000'	500 pp	300 lbs	Yellow	4
172010	1/2" x 0.018"	6000'	300 wire	300 lbs	Black	4
172015	1/2" x 0.025"	4000'	300 wire	500 lbs	Black	2



Strapping Machines

General-purpose semi-automatic strapping. An economically priced strapping machine.

Features:

- Convenient panel & tension control
- 2.5 Seconds per cycle

Item #	Description	Core	Width	Weight
180002	Semi-Automatic Strapping Machine	8"x 8"- 9"x 8"	1/4" - 1/2"	190 lbs



Strapping Carts

Our CWC steel strapping and plastic dispenser carts allows for portable and easy application of strapping. Available in regular and heavy-duty.

Features:

- Most models include a tool tray
- All-Purpose carts hold steel and poly strap

Item #	Description	Core ID	Face W	Wt
176054	Light Duty Poly Cart	3"	3"6"/8"	31 lbs
176050	CWC All Purpose Cart - Plastic Wheel	8"/16"	3"6"/8"	46 lbs
176725	CWC All Purpose Cart - Rubber Wheel	8"/16"	3"6"/8"	48 lbs
176758	CWC Heavy-Duty All Purpose Cart	All	3"6"/8"	70 lbs
176049	Light Duty Universal Cart	8"/16"	3"6"/8"	55 lbs
176053	Regular Duty Poly/Steel Cart	16"	3"6"	54 lbs
176051	Regular Duty Poly/Steel Cart	16"	3"6"/8"	54 lbs
176760	EZ Load Poly/Steel Cart	16"	3"6"	54 lbs
176726	CWC Regular Duty Steel Cart, 8" Rubber Tires	16"	3"	70 lbs
176727	Heavy Duty Ribbon Wound Steel Cart, 10" Rubber Tires	16"	3/4" - 1 1/4"	66 lbs



Plastic Strap Sealers

CWC offers front and side action plastic strap sealers. Compact and designed for both regular and heavy-duty applications.

Features:

- Front and side action available

Item #	Description	Seal Size	Weight
176030	CWC Regular Duty Crimper/Sealer	1/2"	4 lbs
176035	CWC Regular Duty Crimper/Sealer	5/8"	4 lbs
176023	CWC Regular Duty Crimper/Sealer	3/4"	2 lbs
176040	CWC Serrated Offset Crimper/Sealer	1/2"	5 lbs
176042	CWC Serrated Offset Crimper/Sealer	5/8"	5 lbs
176620	CWC Long Handle Sealer	1/2"	4 lbs
176742	Front Action Sealer	1/2"	4 lbs
176025	Regular Duty Sealer	1/2"- 5/8"	3 lbs
176027	Heavy Duty Sealer	1/2"	5 lbs
176028	Heavy Duty Sealer	5/8"	5 lbs
176029	Heavy Duty Sealer	3/4"	5 lbs
176745	Heavy Duty PET Sealer - Serrated Seals	1/2"	5 lbs
176746	Heavy Duty Sealer - Serrated Seals	5/8"	5 lbs



Plastic Strap Tensioners

CWC offers a variety of tensioners that both tighten plastic strap and cut it.

Features:

- Dependable construction
- Applies maximum tension with minimal effort

Item #	Description	Width	Wt
176600	CWC Hand Held T-bar Tensioner	1/4"-3/4"	1 lb
176010	CWC Heavy Duty Tensioner (Polypro/ Polyester Cord Strap)	1/2" - 3/4"	4 lbs
176012	CWC Heavy Duty Tensioner	3/8"-3/4"	3 lbs
176612	CWC Regular Duty Plastic Strap Tensioner	3/8" - 3/4"	4 lbs
176615	CWC Regular Duty Poly/PET Tensioner	1/2" - 3/4"	3 lbs
176011	Regular Duty Tensioner (Polypro/PET/ Polyester Cord Strap)	1/2"-3/4"	3 lbs
176043	Heavy Duty Tensioner (Polypro/PET/ Polyester Cord Strap)	1/2"- 3/4"	3 lbs



Poly Buckles & Seals

CWC carries all the seals and buckles you'll need for any width and thicknesses of strap.

Seals

Item #	Type	Mil	Size	Length	Units	Weight
175060	Closed	0.025	1/2"	1.25"	1000	12 lbs
175075	Closed	0.025	5/8"	1.25"	1000	15 lbs
175065	Snap	0.025	1/2"	1.25"	1000	12 lbs
175085	Open	0.025	5/8"	1.25"	1000	13 lbs
175100	Snap	0.025	3/4"	1.25"	1000	18 lbs
175112	Serrated	0.030	1/2"	1.25"	1000	15 lbs
175095	Serrated	0.040	5/8"	1.25"	1000	17 lbs

Buckles

Item #	Type	Dia	Size	Units	Weight
175006	Poly Buckles	N/A	1/2"	1000	4 lbs
175010	Poly Buckles	N/A	5/8"	1000	5 lbs
175025	Wire Buckles	0.105	1/2"	1000	14 lbs
175027	Wire Buckles-HD	0.120	1/2"	1000	18 lbs
175028	Wire Buckles-HD (square)	0.120	1/2"	1000	16 lbs
175035	Wire Buckles	0.120	5/8"	1000	11 lbs
175045	Wire Buckles	0.120	3/4"	1000	20 lbs
175115	Phosphate Buckles	0.156	3/4"	1000	25 lbs
175120	Galvanized Wire Buckles	0.197	1"	500	42 lbs
175125	Galvanized Wire Buckles	0.275	1 1/4"	250	48 lbs

Dipped/Coated Gloves



510302

SHOWA™ Dipped Gloves

CWC carries a full selection of SHOWA Atlas palm coated gloves. These gloves combine excellent grip, oil and abrasion resistance with style, comfort and fit. Ideal for construction, agriculture, automotive and general maintenance.

Gloves sold 12 pairs (one size) per package

Glove	Description	Item #	Size
	SHOWA Atlas 377 - Cut Resistant Foam Nitrile Liner: Polyester, Nylon, Seamless Knit Coating: Nitrile Grip: Foam	510416	Small
		510417	Medium
		510418	Large
		510419	X-Large
	SHOWA Atlas 300 Fit Liner: Seamless Knit Coating: Natural Rubber Latex Grip: Rough	510300	Small
		510301	Medium
		510302	Large
		510303	X-Large
	SHOWA Atlas 305 Xtra Liner: Seamless Knit, Polyester, Cotton Coating: Natural Rubber Latex Grip: Rough	510578	Small
		510579	Medium
		510580	Large
		510581	X-Large
	SHOWA Atlas 310G Green Grip Liner: Seamless Knit Coating: Natural Rubber Latex Grip: Rough	510508	Small
		510509	Medium
		510510	Large
		510511	X-Large
	SHOWA Atlas 341 Opti Grip Liner: Seamless Knit Coating: Natural Rubber Latex Grip: Rough	510390	Small
		510391	Medium
		510392	Large
		510393	X-Large
	SHOWA Atlas 370B - Nitrile Palm Lightweight Black Liner: Seamless Knit Coating: Nitrile Grip: Rough	510362	Small
		510363	Medium
		510364	Large
		510365	X-Large
	SHOWA Atlas 451 Thermo Fit Liner: Polyester, Cotton, Acrylic Coating: Natural Rubber Latex Grip: Rough	510451	Small
		510456	Medium
		510457	Large
		510458	X-Large



510149

Dipped & Coated Gloves

CWC ProTACT high-tactility dipped gloves provide excellent grip in a variety of applications, as well as breathability and abrasion resistance.

Our PVC dot coated gloves also offer a secure grip with the comfort and dexterity of a soft cotton liner. We also carry hi-viz, fully-coated honeycomb PVC poly cotton knit gloves for extra grip.

Gloves sold 12 pairs (one size) per package

Glove	Description	Item #	Size
	ProTACT - latex palm dipped -10 gauge cotton/poly liner	510026	Medium
		510027	Large
		510241	X-Large
	ProTACT - crinkle latex palm dipped -13 gauge nylon liner	510148	Medium
		510149	Large
		510242	X-Large
	ProTACT - nitrile palm dipped -13 gauge nylon liner	510235	Medium
		510236	Large
		510237	X-Large
	ProTACT - micro-foam nitrile palm dipped -15 gauge nylon liner	510126	Small
		510127	Medium
		510128	Large
		510129	X-Large
	ProTACT - polyurethane palm dipped -13 gauge nylon liner	510238	Medium
		510239	Large
		510240	X-Large
	ProTACT Thermal - nitrile palm dipped -15 gauge fleece lining	510137	Medium
		510138	Large
		510139	X-Large
	Cotton/poly string knit - PVC dots on palm	510382	Large
	Natural cotton/poly string knit - PVC dot palm	510381	Large
	Cotton/poly string knit PVC on palm & back	510480	Mens
		510481	Ladies
	Heavyweight cotton/poly string knit - clear honeycomb PVC coating	510471	Small
		510472	Medium
		510473	Large
		510474	X-Large



Leather Gloves

Our leather palm gloves protect hands while handling heavy or abrasive objects. Moderate hot/cold protection. Double-palm available.

Our leather drivers are ideal for anyone who uses construction equipment or heavy machinery. Great for utility and many other applications.

Gloves sold 12 pairs (one size) per package

Leather Palm

Glove	Description	Item #	Size
	Split leather palm - canvas back w/safety cuff	510135 510136	Large X-Large
	Shoulder leather palm - denim back w/safety cuff	510330	Large
	Shoulder leather palm - gunn pattern back w/safety cuff	510322 510323 510325 510324	Small Medium Large X-Large
	Select shoulder - split leather - Jointed double palm w/safety cuff	510358 510360	Large X-Large
	Select shoulder - double leather palm - canvas back w/safety cuff	510355 510715	Large X-Large

Leather Driver

Glove	Description	Item #	Size
	Grain cowhide palm - split leather back w/keystone thumb	510113 510114 510115	Medium Large X-Large
	Standard grain cowhide w/ keystone thumb & elastic back	510620 510621 510622 510623	Small Medium Large X-Large
	Economy grain cowhide w/ keystone thumb & elastic back	510624 510625 510626	Medium Large X-Large
	Economy grain pigskin - unlined w/keystone thumb	510710 510714	Large X-Large



Cotton Work Gloves

Cool and comfortable protection, CWC offers a full selection of knit, canvas and jersey gloves.

Our general purpose lightweight gloves are warm, durable and can be used as glove liners.

Our heavyweight gloves offer more protection from punctures and abrasions, as well as moderate resistance to heat and cold.

Gloves sold 12 pairs (one size) per package

Lightweight Knit Cotton

Glove	Description	Item #	Size
	Natural poly-cotton string knit. Medium weight. Reversible. Extra lightweight also available	510452 510455	Medium Large
	Bleached white poly-cotton string knit. Medium weight. Reversible	510449 510450	Medium Large
	Standard poly-cotton string knit Medium weight. Reversible.	510045 510046 510047 510048	Small Medium Large X-Large

Heavyweight Cotton

Glove	Description	Item #	Size
	8 oz cotton canvas - clute pattern - straight thumb - knit wrist	510440	Large
	12 oz cotton canvas - clute pattern - straight thumb - knit wrist	510454	One size fits all
	8 oz brown jersey - blend - clute pattern - knit wrist w/black PVC dots on palm	510445	Large
	8 oz brown jersey - clute pattern - knit wrist	510444	Large
	14 oz standard hot mill nap-out palm - band top	510430	Large

Chemical/Cut Resistant Gloves



510632

SHOWA™ Chemical Resistant Gloves

Durable heavyweight SHOWA Atlas PVC gloves in double, triple and full dipped. Strong, yet flexible, these gloves feature a soft comfortable lining. A textured finish ensures a firm grip, while the PVC shell offers abrasion resistance and durability.

The gauntlet cuff gloves are oil and chemical resistant. We also offer extended sleeve gloves for protection above the elbow.

Gloves sold 12 pairs (one size) per package

Glove	Description	Item #	Size
	SHOWA Atlas 620 Vinylglove Double-Dipped PVC	510630	Small
	Liner: Cotton	510631	Medium
	Coating: PVC	510632	Large
	Grip: Rough	510633	X-Large
		510634	XX-Large
	SHOWA Atlas 660 Vinylglove Chemical Resistant	510661	Small
	Liner: Cotton	510662	Medium
	Coating: PVC	510663	Large
	Grip: Rough	510665	XX-Large
	SHOWA Atlas 720 Nitrile 12"	510340	Small
	Liner: Seamless Knit	510341	Medium
	Coating: Nitrile	510342	Large
	Grip: Rough	510343	X-Large
		510344	XX-Large
	SHOWA Atlas 640 PVC Dipped w/Vinyl Sleeve	510641	Medium
	Liner: Cotton	510642	Large
	Coating: PVC	510643	X-large
	Grip: Rough		
	SHOWA Atlas 690 PVC Dipped Extended 26"	510024	Medium
	Liner: Cotton	510041	Large
	Coating: PVC	510044	X-large
	Grip: Rough		
	SHOWA Atlas 772 Nitrile Long Sleeve	510056	Medium
	Liner: Polyester, Cotton	510057	Large
	Coating: Nitrile	510058	X-large
	Grip: Rough		



510006

Cut Resistant Gloves

CWC is dedicated to keeping your hands protected from cuts and scratches. Comfortable, lightweight and durable cut resistant gloves are critical to maintaining safety in any work environment. CWC offers gloves featuring the latest technology, materials and innovations to ensure protection.

Gloves sold 12 pairs (one size) per package

Glove	Description	Item #	Size
	SHOWA 541	510116	Small
	Liner: HPPE	510005	Medium
	Coating: Polyurethane	510006	Large
	Grip: Rough	510007	X-Large
	ANSI Cut Level 2	510117	XX-Large
	SHOWA Atlas KV300	510097	Medium
	Liner: Kevlar	510092	Large
	Coating: Rubber Latex	510093	X-Large
	Grip: Rough		
	ANSI Cut Level 3		
	SHOWA S-TEX 541	510019	Medium
	Liner: Stainless Steel,	510020	Large
	Polyester	510021	X-Large
	Coating: Polyurethane		
	Grip: Rough		
	ANSI Cut Level 4		
	SHOWA S-TEX 303	510016	Medium
	Liner: Polyester, Stainless	510017	Large
	Steel, Kevlar	510018	X-Large
	Coating: Rubber Latex		
	Grip: Rough		
	ANSI Cut Level 5		



510735

Welding Gloves

Blue Kevlar sewn welder gloves. Select shoulder cowhide with a reinforced palm and 2-1/2" rubberized safety cuff. Good for a variety of light to standard duty welding jobs. One size fits all.

Gloves sold 12 pairs (one size) per package

Glove	Description	Item #	Size
	Welders gloves - select shoulder cowhide - reinforced palm - Kevlar stitch	510735	One size fits all



Supported Gloves

CWC supported gloves provide basic liquid and chemical protection from grease, oil, caustics, acids and solvents. Well suited to any application where handling abrasive and/or oily material is necessary.

Gloves sold 12 pairs (one size) per package

510334

Glove	Description	Item #	Size
	Black rough grip PVC - double-dipped - jersey lined. knit wrist	510243	Fits All
	14" Smooth grip PVC - single-dipped interlock lined.	510227	Large
	14" Rough grip PVC - double-dipped interlock lined.	510213	Large
	14" Sandpaper finish PVC - double-dipped - jersey lined.	510245	Large
	14" Smooth grip neoprene - multi-dipped - interlock lined.	510334	Large
	14" Rough grip neoprene - multi-dipped - interlock lined.	510333	Large
	Smooth - heavy weight nitrile dipped - knit wrist - jersey lined.	511078	Large
	14" Rough grip nitrile dipped - interlock lined.	510105 510106 510107	Medium Large X-Large



Unsupported Gloves

CWC offers unsupported form-dipped latex, neoprene and nitrile gloves. Available with or without flock lining, our gloves provide chemical resistance and are effective in a range of light to medium duty applications.

Gloves sold 12 pairs (one size) per package

510287

Glove	Description	Item #	Size
	18 mil - 12" Yellow latex - flock lined - embossed grip	510285 510291 510287 510289	Small Medium Large X-Large
	18 mil - 12" Natural latex canners - unlined - embossed grip	510022 510297 510023	Medium Large X-Large
	28 mil - 13" Orange latex - flock lined - embossed grip	510161 510162 510163	Medium Large X-Large
	28 mil - 12" Blue neoprene full dipped over yellow latex	510158 510159 510160	Medium Large X-Large
	30 mil - 12" Black neoprene - flock lined - embossed grip	510155 510156 510157	Medium Large X-Large
	9 mil - 13" Blue nitrile - unlined - tractor tread grip	510861 510862 510863 510864 510865	X-Small Small Medium Large X-Large
	11 mil - 12" Green nitrile - unlined - embossed grip	510039 510002 510003 510001	Small Medium Large X-Large
	15 mil - 12" Green nitrile - unlined - embossed grip	510292 510294 510295 510296	Small Medium Large X-Large

Disposable Gloves



510177

Disposable Gloves

Our disposable gloves provide broad-based protection from acids, alkalis and bases, while offering easy and economical protection. Great wet/dry grip and fits on either hand. A non-slip cuff makes on/off a breeze and provides resistance to roll down.

Gloves sold 100 per box, 10 boxes per carton, unless noted otherwise.

Nitrile

Glove	Description	Item #	Size
	ProTACT - 5 mil black nitrile - powder-free	510741	Small
		510742	Medium
		510743	Large
		510744	X-Large
	Industrial grade - 3 mil blue nitrile - powder-free	510221	Small
		510222	Medium
		510223	Large
		510224	X-Large
	Exam gloves - 4 mil blue nitrile - powder-free	510200	Small
		510201	Medium
		510202	Large
		510203	X-Large
	Green-Dex - 4 mil biodegradable nitrile - powder-free. 20 boxes/carton	510176	Small
		510177	Medium
		510178	Large
		510179	X-Large
	Black Lightning - 5 mil black nitrile - powder-free	510724	Small
		510721	Medium
		510722	Large
		510723	X-Large
		510720	XX-Large
	Milker's Helpers - 8 mil blue nitrile milking gloves - lightly powdered	510081	Medium
		510082	Large
		510083	X-Large
		510084	XX-Large
	Industrial grade - 4 mil blue nitrile - powdered	510214	Small
		510217	Medium
		510215	Large
		510216	X-Large
	Industrial grade - 8 mil blue nitrile - powdered. 50 gloves/box	510204	Medium
		510205	Large
		510206	X-Large
		510208	XX-Large

Latex

Glove	Description	Item #	Size
	Industrial grade - 5 mil white latex - powder-free	510272	Small
		510273	Medium
		510274	Large
		510275	X-Large
	Exam gloves - 5 mil white latex - powder-free	510191	Small
		510192	Medium
		510193	Large
		510194	X-Large
	Blue Lightning - 15 mil blue latex - powder-free 50 gloves/box, 10 boxes/carton	510738	Large
		510739	X-Large
	Industrial grade - 4 mil white latex - powdered	510278	Small
		510279	Medium
		510280	Large
		510277	X-Large

Vinyl

Glove	Description	Item #	Size
	Industrial grade - 3 mil clear vinyl - powder-free	510276	Small
		510258	Medium
		510259	Large
		510260	X-Large
	Industrial grade - 6.5 mil green vinyl - powdered	510261	Large





Protective Eyewear

Our CWC glasses and goggles combine style, durability, and affordability into safety glasses that you will want to wear.

Item #	Description	Weight
510817	CATALYST - Black frame - anti-scratch gray lens	1 oz
510814	CATALYST - Black frame - anti-scratch clear lens	1 oz
510810	CITATION - Black frame - anti-scratch clear lens	1 oz
510856	DANE Readers - frosted frame - anti-scratch clear lens	1 oz
510857	VENDETTA - Black frame - anti-scratch Dust/splash goggles - clear frame gray lens	1 oz
510881	Dust/splash goggles - anti-fog - clear frame, clear lens	1 oz
510882	Dust/splash goggles - anti-fog lens - clear frame	1 oz
510811	JACKAL - Black frame - anti-scratch gray lens	1 oz
510812	JACKAL - Frosted clear frame - anti-scratch clear lens	1 oz
510872	RETRIEVER - Red, white & blue frame - anti-scratch clear lens	1 oz
510880	Direct ventilation goggles - clear lens	1 oz
510870	Black frame - anti-scratch clear lens (144 units) *	33 lbs
510871	Black frame - anti-scratch gray lens (144 units) *	33 lbs

* 12 units per box. 12 boxes per carton



Safety Vests

CWC general-purpose safety vests provide high visibility day or night. Breathable mesh or durable woven fabric. 2 inch reflective tape for visibility.

Standard

Item #	Size	Weight	Description
510930	Medium	2 lbs	Standard Hi-Viz Orange Safety Vest w/ 2" Reflective Tape
510929	Large	2 lbs	
510928	X-Large	2 lbs	

Lightweight

Org #	Lime #	Size	Weight	Description
510780	510786	Small	2 lbs	Lightweight Hi-Viz Mesh Safety Vest w/ 2" Reflective Tape
510781	510787	Medium	2 lbs	
510782	510788	Large	2 lbs	
510783	510789	X-Large	3 lbs	
510784	510790	XX-Large	3 lbs	



Dust Masks

Our dust masks offer protection against air borne irritants when sweeping, sanding and baling hay.

Item #	Description	Units	Weight
510875	Single strap (50/Box)	20	10 lbs
510879	Double strap (20/Box)	12	8 lbs
510876	Double strap (50/Box)	20	11 lbs



Rain Wear

We offer a variety of abrasion and chemical resistant PVC rain wear to keep your employees protected from the rain.

Item #	Size	Weight	Description
510945	Small	2 lbs	2 Piece 48" Rain Coat/Hood 0.35 mm PVC/Polyester. Detachable Hood w/Drawstring, Corduroy Collar, Storm Fly Front w/Snap Buttons, Flapped Pockets, Ventilated. Yellow
510946	Medium	2 lbs	
510947	Large	2 lbs	
510948	X-Large	2 lbs	
510944	2X-Large	3 lbs	
510943	3X-Large	3 lbs	
510942	4X-Large	3 lbs	3 Piece Rain Suit 0.35 mm PVC/Polyester Fabric. Detachable Hood w/Drawstring. Ventilated Jacket w/Flapped Pockets. Storm Fly Front w/Zipper & Snap Buttons. Bib-Style Pants w/ Suspenders & Snap Fly. Yellow
510941	5X-Large	3 lbs	
510905	Small	2 lbs	
510906	Medium	2 lbs	
510907	Large	2 lbs	
510908	X-Large	2 lbs	
510909	2X-Large	2 lbs	Rain Boots - Black Waterproof PVC boots resist damage from petroleum products, common chemicals & animal fats. Black firm-grip sole. Unlined. Plain toe. (1 pair)
510910	3X-Large	3 lbs	
510911	4X-Large	3 lbs	
510912	5X-Large	3 lbs	
510973	8	5 lbs	
510974	9	5 lbs	
510975	10	5 lbs	
510976	11	5 lbs	
510977	12	6 lbs	



Protective Clothing

Shop CWC for a great selection of basic hygienic and protective clothing at competitive prices.

Item #	Description	Size	Weight
510899	Defender Coveralls - White Without Hood or Boots (25/ctn)	Large	3 lbs
510896		X-Large	4 lbs
510898		3X-Large	5 lbs
510033	Nylon Bouffant Cap - Blue (1000/ctn)	Fits All	40 lbs
510917	Nylon Honeycomb Hair Net - White 1/8" hole (1000/ctn)	21"	7 lbs
510918		23"	8 lbs
510919	Nylon Beard Net - White (1000/ctn)	Fits All	40 lbs
510959	Anti-skid Shoe Covers - Blue Disposable (400 individual units/ctn)	XL	60 lbs



Ear Plugs

Hi-vis corded polyurethane foam earplugs with long tapered shape and smooth surface for a long-lasting comfortable fit.

Item #	Description	Units	Weight
510869	Corded ear plugs (8 pack)	100	1 lb



Poly Tarps

CWC's regular-duty tarps are great for general or temporary coverage and protection from the elements. We also offer heavy-duty tarps for extended-use and to block out sunlight.

Regular Duty

Item #	Size	Color
070610	5' x 7'	Blue
070612	6' x 8'	Blue
070618	8' x 10'	Blue
070620	9' x 12'	Blue
070925	9' x 12'	Camo
070621	10' x 10'	Blue
070622	10' x 12'	Blue
070623	10' x 16'	Blue
070625	10' x 20'	Blue
070628	12' x 12'	Blue
070627	12' x 14'	Blue
070630	12' x 16'	Blue
070629	12' x 20'	Blue
070631	12' x 24'	Blue
070633	12' x 30'	Blue
070661	15' x 20'	Blue
070662	15' x 30'	Blue
070632	16' x 20'	Blue

Heavy Duty

Item #	Size	Color
070670	8' x 10'	Silver
070672	9' x 12'	Silver
070674	10' x 10'	Silver
070675	10' x 12'	Silver
070676	10' x 20'	Silver
070680	12' x 16'	Silver
070685	12' x 24'	Silver
070688	16' x 20'	Silver

Heavy Duty Combo

Item #	Size	Color
070715	8' x 10'	Brown/Grn
070808	8' x 10'	Blk/Silver
070849	10' x 12'	Brown/Grn
070810	12' x 16'	Brown/Grn
070884	12' x 24'	Brown/Grn

Item #	Size	Color
070635	18' x 24'	Blue
070638	20' x 20'	Blue
070639	20' x 24'	Blue
070640	20' x 30'	Blue
070642	20' x 40'	Blue
070643	24' x 36'	Blue
070614	25' x 40'	Blue
070644	26' x 40'	Blue
070645	30' x 30'	Blue
070648	30' x 40'	Blue
070646	30' x 50'	Blue
070649	30' x 60'	Blue
070653	30' x 70'	Blue
070650	40' x 40'	Blue
070655	40' x 50'	Blue
070652	40' x 60'	Blue
070658	50' x 50'	Blue
070657	50' x 100'	Blue

Item #	Size	Color
070686	18' x 24'	Silver
070690	20' x 20'	Silver
070695	20' x 30'	Silver
070696	20' x 30'	Silver
070695	20' x 30'	Silver
070696	24' x 52'	Silver
070700	25' x 40'	Silver
070697	40' x 60'	Silver

Item #	Size	Color
070885	16' x 20'	Brown/Grn
070886	18' x 24'	Brown/Grn
070812	20' x 30'	Brown/Grn
070814	20' x 30'	Brown/Grn



Tarp Straps & Snubbers

Our line of tarp straps and ball bungees are used to secure tarps and tie downs when hauling loads and bundling cargo.

163015

Item #	Description	Units	Weight
070602	8" Ball Bungee	1000	21 lbs
070603	12" Ball Bungee	1000	21 lbs
163005	10" EPDM Tarp Strap	50	10 lbs
163010	15" EPDM Tarp Strap	50	13 lbs
163015	21" EPDM Tarp Strap	50	16 lbs
163020	31" EPDM Tarp Strap	50	20 lbs
163025	41" EPDM Tarp Strap	50	25 lbs



Poly Sheeting

Economical protection from dust, dirt, and moisture for warehouse equipment, machinery, construction materials, and skids. Cover crawl space or run under wood floors to protect against condensation.

Clear

Item #	Size	Thick
190412	8'4" x 200'	1.5 mil
190414	8'4" x 200'	2 mil
190415	12' x 200'	2 mil
190469	20' x 200'	2 mil
190402	4' x 100'	4 mil
190404	6' x 100'	4 mil
190408	8' x 100'	4 mil
190418	10' x 100'	4 mil
190424	12' x 100'	4 mil
190450	16' x 100'	4 mil
190456	20' x 100'	4 mil

Black

Item #	Size	Thick
190606	8' x 100'	4 mil
190612	10' x 100'	4 mil
190618	12' x 100'	4 mil
190638	20' x 100'	4 mil
190467	24' x 100'	4 mil
190421	10' x 100'	6 mil

Item #	Size	Thick
190487	40' x 100'	4 mil
190410	8' x 100'	6 mil
190420	10' x 100'	6 mil
190426	12' x 100'	6 mil
190452	16' x 100'	6 mil
190458	20' x 100'	6 mil
190471	24' x 100'	6 mil
190470	28' x 100'	6 mil
190476	32' x 100'	6 mil
190480	40' x 100'	6 mil
190465	20' x 100'	10 mil

Item #	Size	Thick
190427	12' x 100'	6 mil
190640	20' x 100'	6 mil
190484	40' x 100'	6 mil
190462	20' x 100'	8 mil
190464	20' x 100'	10 mil



Seat Covers

CWC disposable toilet seat covers offer sanitary protection in public bathrooms. Meet EPA guidelines for post consumer waste.

Dispensers sold separately. Includes mounting hardware.

Item #	Description	Color	Units
520103	Natural Choice 1/2 Fold (250 sheets)	White	20
520100	Natural Choice 1/2 Fold	White	20
520102	Toilet Seat Cover - 1/4 Fold (250 Sheets)	White	20



Toilet Paper

CWC offers soft, high-quality toilet paper. Single and multi-roll dispensers available.

Single, twin & multi dispensers available - sold separately

Item #	Description	Units
520232	Pacific Ultra 2-ply 4.5" x 4" w, 500 sheets - virgin	80
520216	Natural Choice 1-ply 4.2" x 3.2" w, 1000 sheets - rec	96
520219	Natural Choice Jumbo 1000' 2-ply, 9" dia x 3.7" w - rec	12
520233	Natural Choice Deluxe 2-ply 4.5" x 4", 500 sheets -rec	80
520202	CWC Jumbo 1000' 2-ply 9" dia x 3.58" w - rec	12
520118	CWC Jumbo senior 2000' 2-ply 12" dia x 3.58" w - rec	6



Paper Towels

CWC paper towels are absorbent and long lasting. Soft and strong for efficient hand drying and spill cleanup. We offer multi-fold, single fold, hard wound and kitchen roll towels, as well as hands-free systems.

Item #	Description	Units
520206	Pacific Ultra 2-ply kitchen roll 100 sheets - virgin wht	30
520209	Natural Choice 1-ply single fold 250 sheets - rec kraft	16
520207	CWC 1-ply single fold 250 sheets - virgin wht	16
520228	Natural Choice 1-ply multi-fold - 250 sheets - rec kraft	16
520229	Natural Choice 1-ply multi-fold - 250 sheets - rec wht	16
520201	CWC 1-ply multi-fold - 250 sheets - rec wht	16
520231	Natural Choice Deluxe 1-ply hardwound roll - rec wht	6
520230	Natural Choice 1-ply hardwound roll - rec kraft	6
520141	CWC 1-ply hardwound roll - rec wht	12
520205	CWC 1-ply hardwound roll - rec wht	6



Soaps & Cleaners

At CWC we have all the commercial hand cleaning products you need to maintain your rest rooms, health care facilities and workshops.

• Dispensers also available

Item #	Description	Units
470101	AERO Green Antibacterial Foam Soap - 1 liter	8
470100	AERO Blue Hand & Body Foam Soap - 1 liter	8
470102	AERO Rose Luxury Foam Soap - 1 liter	6
470106	Foam Wash - 42 fl oz - For touch-free dispensers	3
470203	Instant Foam Hand Sanitizer - Alcohol - 1 liter	6
470204	Instant Foam Hand Sanitizer - Alcohol Pump - 400 ml	12
470302	Natural Power Wash - Heavy Duty Soap - 2 liter	4
470206	Pump Instant Foam Alcohol Hand Sanitizer - 47 ml	12
470105	Splash Pink Lotion Soap - 1 gal	4



Can Liners

CWC can liners feature a leak resistant star-seal bottom. Our high density liners are an economical choice for a wide variety of wet trash and soft refuse. Our low density garbage bags are made from resins that offer more stretch, and are highly resistant to puncture and tearing.

• Garbage and waste cans also available

Item #	Size	Description	Thick	Capacity	Units
190827	24" x 24"	High Density - Natural	8 Mic	7-10 Gal	1000
190828	24" x 33"	High Density - Natural	8 Mic	12-16 Gal	1000
190829	30" x 37"	High Density - Natural	8 Mic	30 Gal	500
190833	33" x 40"	High Density - Natural	13 Mic	33 Gal	500
190837	40" x 48"	High Density - Natural	14 Mic	40 Gal	250
190853	40" x 48"	High Density - Natural	19 Mic	40 Gal	200
190844	38" x 60"	High Density - Natural	17 Mic	55 Gal	200
190843	38" x 60"	High Density - Natural	22 Mic	55 Gal	100
190852	38" x 60"	High Density - Natural	22 Mic	55 Gal	150
190851	24" x 24"	Low Density - Clear	1.1 Mil	7-10 Gal	500
190855	30" x 37"	Low Density - Clear	0.7 Mil	30 Gal	250
190820	33" x 39"	Low Density - Black	1.2 Mil	33 Gal	100
190809	33" x 40"	Low Density - Black	1.5 Mil	33 Gal	250
190850	33" x 40"	Low Density - Clear	2.5 Mil	33 Gal	100
190810	40" x 46"	Low Density - Black	1.5 Mil	40 Gal	200
190679	32" x 50"	Low Density - Grey	3 Mil	50 Gal	20
190812	36" x 58"	Low Density - Black	1.5 Mil	55 Gal	100



Continental Western Corporation
2950 Merced Street, Suite 200
San Leandro, CA 94577

*For additional products and ordering information, please visit us online at **www.cwcglobal.com** or contact us directly at one of our 8 convenient locations*

Seattle, WA

Tel: (206) 623-0466 • Fax: (206) 682-6205

Denver, CO

Tel: (303) 375-1506 • Fax: (303) 375-1507

Portland, OR

Tel: (503) 223-5194 • Fax: (503) 223-6729

Houston, TX

Tel: (713) 926-3868 • Fax: (713) 926-3869

Los Angeles, CA

Tel: (562) 903-1214 • Fax: (562) 903-1218

Chicago, IL

Tel: (630) 834-8393 • Fax: (630) 834-6370

Oakland, CA

Tel: (510) 352-3133 • Fax: (510) 352-0148

New Orleans, LA

Tel: (504) 733-6057 • Fax: (504) 733-6642

www.cwcglobal.com